

## CLICK TORQUE WRENCHES WITH DUAL LBF.IN OR LBF.FT AND NM GRADUATION



### 811 RAL

NF EN ISO 6789 ISO 6789 DIN EN ISO 6789

- Model with 72 teeth and an angle of action of 5°
- Accuracy  $\pm 2\%$  of the preset torque value
- Reliability of mechanism: 50.000 cycles
- Dual lbf.in or lbf.ft and Nm graduation
- Reversible ratchet
- To be used with 9x12 or 14x18 mm fittings
- Full metal wrenches with knurled handle
- Numbered wrenches supplied with ISO 6789 calibration certificate
- Supplied in a plastic box with ratchet

### Family details

Code	Capacity Nm	Capacity lbf.in	Resolution lbf.in	Capacity lbf.ft	Resolution lbf.ft	Female square drive mm	Male square drive "	L mm	Quantity for packaging
U08114620	40,6÷340	-	-	30÷250	1	14x18	1/2	600	1

Stanley Black & Decker Italia S.r.l.

Sede legale: Via Energy Park 6 - 20871 Vimercate (MB)  
Sede operativa: Via Volta 3 - 21020 Monvalle (VA) Italia  
Partita IVA e C.F.: 03225990138

**StanleyBlack&Decker**

Società a Socio Unico soggetta a coord. e controllo da parte di Stanley Black & Decker, Inc.  
Capitale Sociale I.V. € 12.000.000